Certificate of Analysis

State of FL OMMU License Number: CMTL-006
ISO/IEC 17025 Accreditation No.: 109150
Lab Address: 40 S Dewey Street, Eustis, FL, 32726

Jolly Rusher 4G

Lab Sample Number: F050550-01 - **Date reported:** June 17, 2026

Client: Cooked Collective

Address: 145 Horizon Ct., Lakeland, FL 33813
Phone: (863) 220-6880
Project: COOKED

Lab Sample Number: F050050-01

Permit Type: 448
Manufacturer Food Entity Number: 416771
Distributor Food Entity Number: 423320
Manufacturer Permit Number: 2026-R-2198776
Distributor Permit Number: 2025-N-2147798

Compliance for Retail

Date Sampled: 05/06/2026
Date Received: 05/06/2026

SUMMARY

 POTENCY	 TERPENES	 PESTICIDES	 HEAVY METALS
Tested	Not Tested	Pass	Pass
 RESIDUAL SOLVENTS	 MICROBIAL TESTING	 MYCOTOXINS	 MOISTURE CONTENT
Pass	Pass	Pass	Pass
	 FOREIGN MATERIALS	 WATER ACTIVITY	
	Pass	Pass	

This report shall not be reproduced except in its entirety without the written approval of Accuscience Laboratories. The results of this report relate only to the material product analyzed. Test results are confidential unless explicitly waived otherwise . This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

PJLA Testing
Accreditation#: 109150

Dr. Harry Behzadi, PhD.
President, CEO

Certificate of Analysis

State of FL OMMU License Number: CMTL-006
ISO/IEC 17025 Accreditation No.: 109150
Lab Address: 40 S Dewey Street, Eustis, FL, 32726

Jolly Rusher 4G

Lab Sample Number: F505050-01 - **Date reported:** June 17, 2026

Cannabinoids Summary Profile



18.74% Total Cannabinoids		
0.062% Δ9-THC	0.286% Total THC	10.0% Total CBD

Definitions and Abbreviations:
Total CBD = CBD + (CBDA * 0.877), **Total THC** = Delta 9 THC + (Delta 9 THCA * 0.877), **LOQ** = Limit of Quantitation, **ND** = Non-Detect.

This report shall not be reproduced except in its entirety without the written approval of Accuscience Laboratories. The results of this report relate only to the material product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.

PJLA Testing
Accreditation # 109150

Dr. Harry Behzadi, PhD.
President, CEO